

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
1	8425	(438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:43
2	14	EWS near3 exposure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:57
3	1	20040117056.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:00
5	4424	(generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (GUI or user-interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:58
4	31	(format\$4 near4 inform\$3) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:58
6	339	((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (GUI or user-interface or userinterface)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:27
8	1	20040117056.pn. and output\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:29
9	1	20040117056.pn. and edit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:04
10	1172	((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:11
11	21	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) and (((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:33
14	2	("5991528" "6038486").PN.	USPAT	2004/07/08 13:40
15	7	("5673198" "5710700" "5754826" "5777876" "5787190" "5838951" "5870308").PN.	USPAT	2004/07/08 13:44
16	7	("4915565" "5172053" "5360747" "5390131" "5511005" "5532499" "5585737").PN.	USPAT	2004/07/08 13:46

17	3	((("5991528" "6038486").PN.) or (("5673198" "5710700" "5754826" "5777876" "5787190" "5838951" "5870308").PN.) or (("4915565" "5172053" "5360747" "5390131" "5511005" "5532499" "5585737").PN.)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:58
18	104	((((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) with control\$4) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:42
19	104	((((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page)) with control\$4) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 16:55
22	1	20040117056.pn. and (shot\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:12
23	1430	(shot near2 (layout or layingout or laying-out or arrangement or map\$4 or sample))	USPAT; US-PGPUB	2004/07/08 16:56
24	39	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) and ((shot near2 (layout or layingout or laying-out or arrangement or map\$4 or sample)))	USPAT; US-PGPUB	2004/07/08 17:40
25	141	((acquir\$3 or reciev\$3 or receiv\$3 or recep\$4 or transfer\$4 or transmit\$4 or communicat\$4 or send\$3) with (control\$4 and (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format))) same ((exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB	2004/07/08 17:51
27	15123	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:53
28	9	((((acquir\$3 or reciev\$3 or receiv\$3 or recep\$4 or transfer\$4 or transmit\$4 or communicat\$4 or send\$3) with (control\$4 and (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format))) same ((exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:44
29	88	716/\$.ccls. and 345/\$.ccls.	USPAT; US-PGPUB	2004/07/08 17:50
30	109	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with shot) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 17:56

31	4	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with shot) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:57
32	966	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with map\$4) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:16
33	35	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with map\$4) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:19
34	1	20040117056.pn. and control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:13
35	753	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (map\$4 or tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:19
36	20738	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:20
38	27259	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot or size or number or amount or position\$3)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 18:39

39	173	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:22
37	27	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (map\$4 or tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:22
40	202	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot or size or number or amount or position\$3)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:35
41	76907	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot or size or number or amount or position\$3 or pattern))	USPAT; US-PGPUB	2004/07/08 18:36
42	560	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3) with (tilt or exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line or job or parameter or control\$3 or align\$4 or focus or layout or shot or size or number or amount or position\$3 or pattern)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:37
43	75458	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB	2004/07/08 18:58

44	12654	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3)	USPAT; US-PGPUB	2004/07/08 18:40
45	111	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map) with (exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)) with (load\$3 or download\$3 or transfer\$3 or send\$3 or up-load\$3 or upload\$3))	USPAT; US-PGPUB	2004/07/08 18:40
46	1829	((job or recipe or process\$3) near2 (file or parameters or instruction or command)) with (convert\$3 or transform\$6 or conversion) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map)	USPAT; US-PGPUB	2004/07/08 18:49
47	26	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((job or recipe or process\$3) near2 (file or parameters or instruction or command)) with (convert\$3 or transform\$6 or conversion) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map))	USPAT; US-PGPUB	2004/07/08 18:57
48	190181	(model\$4 or simulat\$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter)	USPAT; US-PGPUB	2004/07/08 18:56
49	16467	(model\$4 or simulat\$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter) with (convert\$3 or transform\$6 or conversion or translat\$4)	USPAT; US-PGPUB	2004/07/08 19:40
50	339	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and ((model\$4 or simulat\$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter) with (convert\$3 or transform\$6 or conversion or translat\$4))	USPAT; US-PGPUB	2004/07/08 19:14
51	161	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and ((model\$4 or simulat\$3 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3) with (recipe or tilt or focus or shot or layout or alignment or exposure or parameter) with (convert\$3 or transform\$6 or conversion or translat\$4))) and (exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 19:09
52	600	((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) near2 (acquir\$3 or upload\$3 or download\$3 or send\$3 or transmit\$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map\$4)	USPAT; US-PGPUB	2004/07/08 19:15
53	88512	(exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)	USPAT; US-PGPUB	2004/07/08 21:33

54	6	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) near2 (acquir\$3 or upload\$3 or download\$3 or send\$3 or transmit\$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map\$4))	USPAT; US-PGPUB	2004/07/08 19:16
55	19590	((tool\$3 or equipment or system or apparatus or fab or stepper) near2 (acquir\$3 or upload\$3 or download\$3 or send\$3 or transmit\$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map\$4)	USPAT; US-PGPUB	2004/07/08 19:16
56	1571	((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and (((tool\$3 or equipment or system or apparatus or fab or stepper) near2 (acquir\$3 or upload\$3 or download\$3 or send\$3 or transmit\$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map\$4))	USPAT; US-PGPUB	2004/07/08 19:16
57	28	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and (((tool\$3 or equipment or system or apparatus or fab or stepper) near2 (acquir\$3 or upload\$3 or download\$3 or send\$3 or transmit\$4)) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graphic or imag\$3 or map\$4)))	USPAT; US-PGPUB	2004/07/08 19:43
58	10798	(exposure or shot or layout or pattern) near3 (inspect\$3 or verification or verif\$4 or confirm\$6)	USPAT; US-PGPUB	2004/07/08 19:27
59	996	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and ((exposure or shot or layout or pattern) near3 (inspect\$3 or verification or verif\$4 or confirm\$6))	USPAT; US-PGPUB	2004/07/08 19:27
60	294	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) and ((exposure or shot or layout or pattern) near3 (inspect\$3 or verification or verif\$4 or confirm\$6))	USPAT; US-PGPUB	2004/07/08 19:27
61	233322	(GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)	USPAT; US-PGPUB	2004/07/08 19:43
62	51838	((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.	USPAT; US-PGPUB	2004/07/08 19:46
63	405	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.)	USPAT; US-PGPUB	2004/07/08 19:43
64	6688	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and (345/\$.ccls.)	USPAT; US-PGPUB	2004/07/08 19:45

65	30055	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) same (shot or layout or pattern or map\$4 or arrangement)))	USPAT; US-PGPUB	2004/07/08 19:48
66	1222	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (shot)))	USPAT; US-PGPUB	2004/07/08 19:48
67	152	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and (345/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (shot)))	USPAT; US-PGPUB	2004/07/08 19:49
68	16	((((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and (345/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (shot)))) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 19:51
69	6444	(((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) same (shot or layout or pattern or map\$4 or arrangement))) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line)	USPAT; US-PGPUB	2004/07/08 19:51
70	76	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) with (convert\$3 or transform\$6 or conversion or translat\$4)).clm.) and ((GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3) same (shot or layout or pattern or map\$4 or arrangement))) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line))	USPAT; US-PGPUB	2004/07/08 20:10
71	5	("5375069" "5499331" "5712794" "5787006" "5828580").PN.	USPAT	2004/07/08 20:04
72	68	((parameter near2 file) or recipe) near2 (exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6)	USPAT; US-PGPUB	2004/07/08 21:21

73	86468	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3)	USPAT; US-PGPUB	2004/07/08 21:24
74	13042	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3))	USPAT; US-PGPUB	2004/07/08 21:33
75	120144	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3))	USPAT; US-PGPUB	2004/07/08 21:32
76	16316	((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3)))	USPAT; US-PGPUB	2004/07/08 21:27
77	21789	((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3))) or (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3))))	USPAT; US-PGPUB	2004/07/08 21:27
78	262	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.) and (((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3))) or (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3))))	USPAT; US-PGPUB	2004/07/08 21:34

79	9	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3))) or (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or imag\$3 or appearance or display\$3)))))) and XML.	USPAT; US-PGPUB	2004/07/08 21:36
80	49669	(tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))	USPAT; US-PGPUB	2004/07/08 21:33
81	1172	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))	USPAT; US-PGPUB	2004/07/08 23:03
82	1906	((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))))	USPAT; US-PGPUB	2004/07/08 21:33
83	2742	((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))) or (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))))	USPAT; US-PGPUB	2004/07/08 21:34

84	83	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))) or (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))))))	USPAT; US-PGPUB	2004/07/08 21:34
85	5	(((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.)) and (((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3))) or (((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper)) and ((tool\$3 or equipment or system or apparatus or fab or stepper or scanner) with ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance or display\$3)))))) and XML	USPAT; US-PGPUB	2004/07/08 21:37
86	2	("20020078429" "6331369").pn.	USPAT; US-PGPUB	2004/07/08 21:38
87	231	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or stepper or scanner) near2 ((generat\$3 or creat\$3 or produc\$3 or construct\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance))	USPAT; US-PGPUB	2004/07/08 23:05
88	268	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or stepper or scanner) near2 ((generat\$3 or creat\$3 or produc\$3 or construct\$3 or upload\$3 or transfer\$4 or send\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance))	USPAT; US-PGPUB	2004/07/08 23:13
89	9	((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or stepper or scanner) near2 ((generat\$3 or creat\$3 or produc\$3 or construct\$3 or upload\$3 or transfer\$4 or send\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance))) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.))	USPAT; US-PGPUB	2004/07/08 23:11
90	6582	(tool\$3 or equipment or system) near2 ((generat\$3 or creat\$3 or produc\$3 or construct\$3 or upload\$3 or transfer\$4 or send\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance))	USPAT; US-PGPUB	2004/07/08 23:11

91	7851	((tool\$3 or equipment or system or apparatus or fab or stepper) near2 ((generat\$3 or creat\$3 or produc\$3 or construct\$3 or upload\$3 or transfer\$4 or send\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance)))	USPAT; US-PGPUB	2004/07/08 23:11
92	257	((tool\$3 or equipment or system or apparatus or fab or stepper) near2 ((generat\$3 or creat\$3 or produc\$3 or construct\$3 or upload\$3 or transfer\$4 or send\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance))) and ((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper))	USPAT; US-PGPUB	2004/07/08 23:11
93	9	((tool\$3 or equipment or system or apparatus or fab or stepper) near2 ((generat\$3 or creat\$3 or produc\$3 or construct\$3 or upload\$3 or transfer\$4 or send\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance))) and ((exposure or hoto-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or g-line or i-line) with (tool\$3 or equipment or system or apparatus or fab or stepper))) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.))	USPAT; US-PGPUB	2004/07/08 23:11
94	87	((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or stepper or scanner) near2 output) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or appearance)	USPAT; US-PGPUB	2004/07/08 23:23
95	621951	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or scanner or tool\$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file or type or kind)	USPAT; US-PGPUB	2004/07/08 23:23
96	4066	((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or scanner or tool\$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file or type or kind)) and (((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.))	USPAT; US-PGPUB	2004/07/08 23:23
97	2351	((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or scanner or tool\$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file or type or kind)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.)	USPAT; US-PGPUB	2004/07/08 23:23
98	84284	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or scanner or tool\$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file)	USPAT; US-PGPUB	2004/07/08 23:23
99	809	((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or scanner or tool\$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.)	USPAT; US-PGPUB	2004/07/08 23:23

100	314	(exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or stepper or scanner) and (((exposure or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6 or ebeam or e-beam or EBL or lithograph\$6 or scanner or tool\$3 or equipment or system or apparatus or fab or stepper) near4 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or file)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.))	USPAT; US-PGPUB	2004/07/08 23:42
101	1	(photo-lithograph\$6 or photolithograph\$6 or stepper) adj3 ((output\$3 or generat\$3 or transmit\$3 or send\$3 or communicat\$3 or upload\$3 or download\$3 or load\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:45
102	1	(photo-lithograph\$6 or photolithograph\$6 or stepper or lithography) adj4 ((output\$3 or generat\$3 or transmit\$3 or send\$3 or communicat\$3 or upload\$3 or download\$3 or load\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:45
103	5	(photo-lithograph\$6 or photolithograph\$6 or stepper or lithograph\$6) adj4 ((output\$3 or generat\$3 or transmit\$3 or send\$3 or communicat\$3 or upload\$3 or download\$3 or load\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:56
104	149	(scanner) adj4 ((output\$3 or generat\$3 or transmit\$3 or send\$3 or communicat\$3 or upload\$3 or download\$3 or load\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:49
105	0	((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.) or (716/\$.ccls.) and ((scanner) adj4 ((output\$3 or generat\$3 or transmit\$3 or send\$3 or communicat\$3 or upload\$3 or download\$3 or load\$3) near3 (GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or (file near2 (type or kind))))	USPAT; US-PGPUB	2004/07/08 23:49
106	68	(photo-lithograph\$6 or photolithograph\$6 or stepper or lithograph\$6 or scanner) adj4 ((output\$3 or generat\$3 or transmit\$3 or send\$3 or communicat\$3 or upload\$3 or download\$3 or load\$3) near3 (map\$4))	USPAT; US-PGPUB	2004/07/09 00:00
107	88	((photo-lithograph\$6 or photolithograph\$6 or stepper or lithograph\$6 or scanner or tool\$3) adj4 ((output\$3 or generat\$3 or transmit\$3 or send\$3 or communicat\$3 or upload\$3 or download\$3 or load\$3) near3 (map\$4 or GUI or user-interface or userinterface or SVG or HTML or XML or DHTML or webpage or web-page or format or graph\$6 or (file near2 (type or kind))))).clm.	USPAT; US-PGPUB	2004/07/09 00:04
108	1	6711731.pn.	USPAT; US-PGPUB	2004/07/09 00:04
117	19	(US-6320646-\$ or US-6108499-\$ or US-5586039-\$ or US-6314548-\$ or US-6629002-\$ or US-6038486-\$ or US-6128403-\$ or US-5838951-\$ or US-6484195-\$ or US-6067571-\$ or US-6099582-\$ or US-6142660-\$ or US-6711731-\$).did. or (US-20040117056-\$ or US-20030061596-\$ or US-20040015808-\$ or US-20030025732-\$ or US-20020095644-\$).did. or (JP-09199385-\$).did.	USPAT; US-PGPUB; JPO	2004/07/09 01:17
118	6	((US-6320646-\$ or US-6108499-\$ or US-5586039-\$ or US-6314548-\$ or US-6629002-\$ or US-6038486-\$ or US-6128403-\$ or US-5838951-\$ or US-6484195-\$ or US-6067571-\$ or US-6099582-\$ or US-6142660-\$ or US-6711731-\$).did. or (US-20040117056-\$ or US-20030061596-\$ or US-20040015808-\$ or US-20030025732-\$ or US-20020095644-\$).did. or (JP-09199385-\$).did.) and shot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 01:18

-	2	4870288.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:46
-	5599	700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:46
-	2514	438/5,7,14,16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:47
-	7985	438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:49
-	514	716/21.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:49
-	835	format\$4 near4 inform\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 20:55
-	1	20040117056.pn. and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:25
-	1396215	(generat\$3 or creat\$3 or produc\$3 or compos\$3 or form\$3 or construct\$3) with (imag\$4 or format or GUI or user-interface or interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:34
-	1199341	(generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) with (imag\$4 or format or GUI or user-interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:57
-	762828	(generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (imag\$4 or format or GUI or user-interface or userinterface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:42
-	128712	((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (imag\$4 or format or GUI or user-interface or userinterface)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:42
-	559	((((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (imag\$4 or format or GUI or user-interface or userinterface)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:42

-	6	(((generat\$3 or creat\$3 or produc\$3 or form\$3 or construct\$3) near3 (GUI or user-interface or userinterface)) and (exposure or photo-chemical\$4 or photochemical\$4 or (extreme near2 UV) or photo-lithograph\$6 or photolithograph\$6)) and ((438/5,7,14,16.ccls. or 700/9,17,83,87,95,96,98,105,108-110,117,121.ccls.) or 716/21.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 22:42
---	---	---	---	------------------